

BackupHD

How can I encrypt the rsync connection to the BackupHD with stunnel ?

Hint: To use rsync for your BackupHD, you have to activate the function in the customer center. To do so navigate to the menu-point "Verwaltung" after you have chosen your contract and make the tick under "Rsync active".

Then click on the button "Ändern". Your BackupHD will be activated within 24 hours for rsync.

If you want to encrypt the rsync-connection to your BackupHD, you have the possibility to set an stunnel.

By that the connection to your BackupHD will be encrypted via SSL.

This instruction describes the setup of stunnel under Linux and Windows.

Linux:

Zunächst müssen Sie stunnel auf Ihrem System installieren. Dazu sollte ein Paket für Ihren Paketmanager verfügbar sein.

Debian/Ubuntu

```
aptitude install stunnel
```

CentOS

```
yum install centos
```

Gentoo

```
emerge stunnel
```

BackupHD

OpenSuse

```
zypper install stunnel
```

Nun muss die stunnel Konfigurationsdatei erstellt bzw. aufgerufen

```
vi /etc/stunnel/stunnel.conf
```

und die folgenden Änderungen vorgenommen werden:

```
; Certificate/key is needed in server mode and optional in client mode
;cert = /etc/ssl/certs/stunnel.pem
;key = /etc/ssl/certs/stunnel.pem

; PID is created inside the chroot jail
pid = /stunnel.pid

; Some performance tunings
socket = l:TCP_NODELAY=1
socket = r:TCP_NODELAY=1
;compression = zlib

; Some debugging stuff useful for troubleshooting
debug = 5
output = /var/log/stunnel/stunnel.log

; Use it for client mode
```

BackupHD

```
client = yes
```

```
Service-level configuration
```

```
[pop3s]
```

```
accept = 995
```

```
connect = 110
```

```
[imaps]
```

```
accept = 993
```

```
connect = 143
```

```
[ssmtp]
```

```
accept = 465
```

```
connect = 25
```

```
:[https]
```

```
;accept = 443
```

```
;connect = 80
```

```
;TIMEOUTclose = 0
```

```
[ssync]
```

```
accept = 873
```

```
connect = rsync1.euserv.de:273
```

Erstellen Sie das benötigte stunnel-Zertifikat und den Schlüssel (pem):

```
openssl req -new -x509 -days 365 -nodes -out stunnel.pem -keyout stunnel.pem
```

Geben Sie hier die notwendigen Informationen an:

Country Name:

BackupHD

State or Province name:
Locality:
Organization Name:
Organizational Unit Name:
Common Name (FQDN):

Bearbeiten Sie schließlich die folgende Datei:

```
vi /etc/default/stunnel
```

und ändern die folgende Zeile:

```
# Change to one to enable stunnel automatic startup  
ENABLED=1
```

Jetzt können Sie stunnel mit dem folgenden Befehl starten:

```
stunnel /etc/stunnel/stunnel.conf
```

Die Nutzung von rsync:

BackupHD

Für eine durch stunnel verschlüsselte rsync-Verbindung können Sie nun localhost als Server angeben.

z.B.

```
rsync -avuz /dev/zero ftpbackup-1234@localhost::ftpbackup-1234
```

Beenden von stunnel:

```
killall stunnel
```

-

Setting up stunnel under Windows

You can also set stunnel manually in Windows.

The necessary program can be downloaded at <http://www.stunnel.org/>.

Now you just have to edit the configuration file. You can find a link in the start menu .

Ensure that the option `client=yes` is not commented out.

```
client = yes
[ssync]
accept = 873
connect = rsync1.euserv.de:273
```

Now you can start stunnel from the start menu.

You can use Rsync under Windows e.g. with the free tool DeltaCopy.

BackupHD

More information on the use of rsync (under linux) can be found here:

[How can I save files with rsync on my BackupHD?](#)

Unique solution ID: #1384

Author: EUserV Support

Last update: 2013-05-06 12:30